



MULTIPLE OUTLET SOCKETS



AMPER	POLES	3p	4p	5p	3p	4p	5p	3p	4p	5p	3p	4p	5p	3p	4p	5p	
		4h	4h	4h	6h	9h	9h	9h	6h	6h	7h	7h	7h	10h	10h	10h	2h

IP44 Multiple Outlet Sockets


16 A	3	STR2013-4	STR2013				
	4			STR2014			
32 A	3	STR2023-4	STR2023				
	4			STR2024			

IP67 Multiple Outlet Sockets

16 A	4	STR20131-4	STR20131				
	5			STR20141			
32 A	4	STR20231-4	STR20231				
	5			STR20241			





Dimension



Current	16A			32A		
	Pole	3	4	3	4	
a	144	151		178	178	
b	226	233		269	269	
c	53	60		67	67	
a1	156	164		191	191	
b1	229	237		272	272	
c1	71	79		93	93	
Cable size(mm ²)	1.5-4			2.5-10		



MULTIPLE OUTLET SOCKETS



STR1013-4 16A 3P 4H
STR1023-4 32A 3P 4H

STR1013 16A 3P 6H
STR1023 32A 3P 6H

STR1014 16A 4P 6H
STR1024 32A 4P 6H


STR1015 16A 5P 6H

AMPER	POLES	3 p	4 p	5 p	3 p	4 p	5 p	3 p	4 p	5 p	3 p	4 p	5 p	3 p	4 p	5 p	
		4 h	4 h	4 h	6 h	9 h	9 h	9 h	6 h	6 h	7 h	7 h	7 h	10 h	10 h	10 h	2 h

IP 44 Multiple Outlet Sockets



16 A	3	STR1013-4	STR1013	STR1013-9	STR1013-7	STR1013-10	STR1013-2
	4	STR1014-4	STR1014-9	STR1014	STR1014-7	STR1014-10	STR1014-2
	5	STR1015-4	STR1015-9	STR1015	STR1015-7	STR1015-10	STR1015-2
32 A	3	STR1023-4	STR1023	STR1023-9	STR1023-7	STR1023-10	STR1023-2
	4	STR1024-4	STR1024-9	STR1024	STR1024-7	STR1024-10	STR1024-2

Dimension



Current	16A			32A		
Pole	3	4	5	3	4	
a	213.5	231	242	268.5	268.5	
b	215.5	235	248	270	270	
c	53.5	61	65.8	72	72	

MULTIPLE OUTLET SOCKETS




AMPER	POLES	3p	4p	5p	3p	4p	5p	3p	4p	5p	3p	4p	5p	3p	4p	5p	
		4h	4h	4h	6h	9h	9h	9h	6h	6h	7h	7h	7h	10h	10h	10h	2h

IP 67 Multiple Outlet Sockets

16 A	3	STR10131-4	STR10131	STR10131-9	STR10131-7	STR10131-10	STR10131-2
	4	STR10141-4	STR10141-9	STR10141	STR10141-7	STR10141-10	STR10141-2
	5	STR10151-4	STR10151-9	STR10151	STR10151-7	STR10151-10	STR10151-2
32 A	3	STR10231-4	STR10231	STR10231-9	STR10231-7	STR10231-10	STR10231-2
	4	STR10241-4	STR10241-9	STR10241	STR10241-7	STR10241-10	STR10241-2

Dimension




Current	16A			32A		
Pole	3	4	5	3	4	
a	221.5	238	248.5	274	274	
b	220	238	250.5	272	272	
c	71	79	86.5	93.5	93.5	


MULTIPLE OUTLET SOCKETS




Input
1 CEE-plug 16A 5p 400V
Output
3 CEE-sockets 16A 5p 400V




Input
1 CEE-plug 32A 5p 400V
Output
3 CEE-sockets 32A 5p 400V



Input
1 CEE-plug 16A 5p 400V
Output
2 CEE-sockets 16A 3p 230V
1 CEE-sockets 16A 5p 400V



Input
1 CEE-plug 32A 3p 230V
Output
3 CEE-sockets 16A 3p 230V




MULTIPLE OUTLET SOCKETS




Input
1 CEE-plug 16A 5p 400V
Output
2 DK sockets 16A 230V
1 CEE-socket 16A 5p 400V

Available also with British, French, Schuko, Swiss and Australian sockets.




Input
5G1.5 H07RN-F cable with CEE-plug 16A 5p 400V
Output
3DK sockets 16A 230V
1 CEE-socket 16A 5p 400V

Available also with British, French, Schuko, Swiss and Australian sockets.



Input
5G1.5 H07RN-F cable with CEE-plug 16A 5p 400V
Output
3 CEE-sockets 16A 5p 400V



IP167 watertight
Input
3G2.5 cable 2.2m with plug 16A 3P 230V
Output
3 CEE-sockets 16A 3P 230V

Available also IP44 waterproof
Available also 110V


7 PIN PLUGS & SOCKETS



Container Box


CTB165(a1:115 b1:178)
16A 5P 6h 400V-
IP44 waterproof

CTB325 (a2:121 b2:190)
32A 5P 6h 400V-
IP44 waterproof




Plug - 7poles

For star-delta connection
16A 7P 6h 400V-
Nickel-plated contacts
IP44 waterproof




Connector - 7poles

For star-delta connection
16A 7P 6h 400V-
Nickel-plated contacts
IP44 waterproof




Wall Inlet - 7poles

For star-delta connection
with cable gland
16A 7P 6h 400V-
Nickel-plated contacts
IP44 waterproof





Wall Socket - 7poles

For star-delta connection
with cable gland
16A 7P 6h 400V-
Nickel-plated contacts
IP44 waterproof




SWITCHED & INTERLOCKED SOCKETS



AMPER	POLES	3 p	4 p	5 p	3 p	4 p	5 p	3 p	4 p	5 p	3 p	4 p	5 p	3 p	4 p	5 p	
		4 h	4 h	4 h	6 h	9 h	9 h	9 h	6 h	6 h	7 h	7 h	7 h	10 h	10 h	10 h	2 h

IP44 Switched & Interlocked Sockets

16 A	3	STR2313-4	STR2313	STR2313-9			
	4	STR2314-4	STR2314-9	STR2314			
	5	STR2315-4	STR2315-9	STR2315			
32 A	3	STR2323-4	STR2323	STR2323-9			
	4	STR2324-4	STR2324-9	STR2324			
	5	STR2325-4	STR2325-9	STR2325			



Current	16A			32A			
	Pole	3	4	5	3	4	5
a		166	166	166	166	166	166
b		255	255	255	255	255	255
c		146	146	146	146	146	146
d		235	235	235	235	235	235
e		120	120	120	120	120	120
f		100.5	100.5	100.5	100.5	100.5	100.5
g		46	46	46	46	46	46
h		21.5	21.5	21.5	21.5	21.5	21.5
k		112.1	115.3	115.6	121.4	121.4	122.6
Cable size(mm ²)		1.5-4			2.5-10		