



WALL SOCKETS-COMBO




AMPER	POLES	3 p	4 p	5 p	3 p	4 p	5 p	3 p	4 p	5 p	3 p	4 p	5 p	3 p	4 p	5 p	
		4 h	4 h	4 h	6 h	9 h	9 h	9 h	6 h	6 h	7 h	7 h	7 h	10 h	10 h	10 h	2 h

IP44 Wall Sockets-Combo


16 A	3	STR113G-4	STR113G	STR113G-9			
	4	STR114G-4	STR114G-9	STR114G			
	5	STR115G-4	STR115G-9	STR115G			
32 A	3	STR123G-4	STR123G	STR123G-9			
	4	STR124G-4	STR124G-9	STR124G			
	5	STR125G-4	STR125G-9	STR125G			





Dimension



Current	16A			32A		
Pole	3	4	5	3	4	5
a	147	148	149.5	151	151	150
b	173.5	175	176	188.5	188.5	189.5
c	84.4	84.4	84.4	84.4	84.4	84.4
d	68	68	68	68	68	68
e	68	68	68	68	68	68
f	20	20	20	20	20	20
Cable size(mm ²)	1.5-4			2.5-10		



WALL SOCKETS -COMBO



STR113G 16A 3P 6H
STR123G 32A 3P 6H

STR114G-9 16A 4P 9H
STR124G-9 32A 4P 9H

STR115G 16A 5P 6H
STR125G 32A 5P 6H


C015G01

AMPER	3 p	4 p	5 p	3 p	4 p	5 p	3 p	4 p	5 p	3 p	4 p	5 p	3 p	4 p	5 p	3 p	4 p	5 p
POLES	4 h	4 h	4 h	6 h	9 h	9 h	9 h	6 h	6 h	7 h	7 h	7 h	10 h	10 h	10 h	2 h	2 h	2 h

IP44 Wall Sockets-Combo

16 A	3	STR113G-4	STR113G	STR113G-9			
	4	STR114G-4	STR114G-9	STR114G			
	5	STR115G-4	STR115G-9	STR115G			
32 A	3	STR123G-4	STR123G	STR123G-9			
	4	STR124G-4	STR124G-9	STR124G			
	5	STR125G-4	STR125G-9	STR125G			


Dimension





Current	16A			32A		
Pole	3	4	5	3	4	5
a	132	134	138	141	141	144
b	184	184.5	185.5	196	196	197
c	85	85	85	85	85	85
d	52	52	52	52	52	52
e	85	85	85	85	85	85
f	25	25	25	25	25	25
g	42	42	42	42	42	42
Cable size(mm ²)	1.5-4			2.5-10		

Adaptor
CEE-plug 16A 5P
Socket (SCHUKO)

available also with
British, French, Danish,
Swiss and Australian
sockets.



WALL INLETS




AMPER	POLES	110V			230V			400V			500V			>50-500V (100-300Hz)			>50-500V (300-500Hz)		
		3p	4p	5p	3p	4p	5p	3p	4p	5p	3p	4p	5p	3p	4p	5p	3p	4p	5p
	4h																		
	4h																		
	4h																		
	6h																		
	9h																		
	9h																		
	9h																		
	6h																		
	6h																		
	7h																		
	7h																		
	7h																		
	10h																		
	10h																		
	10h																		
	2h																		
	2h																		
	2h																		

IP67 Wall Inlets

AMPER	POLES	110V			230V			400V			500V			>50-500V (100-300Hz)			>50-500V (300-500Hz)		
		3p	4p	5p	3p	4p	5p	3p	4p	5p	3p	4p	5p	3p	4p	5p	3p	4p	5p
16 A	3	STR513-4	STR513	STR513-9	STR513-7	STR513-10	STR513-2												
	4	STR514-4	STR514-9	STR514	STR514-7	STR514-10	STR514-2												
	5	STR515-4	STR515-9	STR515	STR515-7	STR515-10	STR515-2												
32 A	3	STR523-4	STR523	STR523-9	STR523-7	STR523-10	STR523-2												
	4	STR524-4	STR524-9	STR524	STR524-7	STR524-10	STR524-2												
	5	STR525-4	STR525-9	STR525	STR525-7	STR525-10	STR525-2												

Dimension



Current	16A			32A			
	Pole	3	4	5	3	4	5
a		95.5	96	97	98	98	98
b		131	134	135.5	145	145	147
c		84.4	84.4	84.4	84.4	84.4	84.4
d		60	60	60	60	60	60
e		52	52	52	52	52	52
Cable size(mm ²)		1.5-4			2.5-10		